

DSP4300/DSP8300

Array Column Speaker



Description

DSP4300/DSP8300 Array Column Speaker is small in size, beautiful in appearance. With the constant beam technology, it projects free from external interference. The Array Column Speaker works as sound reinforcement system for such places as conference rooms, digital courtrooms, lecture halls, classrooms, etc., and as background music system for churches, museums, squares, transportation hubs and so on.

Features

- With streamline design, beautiful appearance
- ABS plastic mixed with glass fiber chassis, strong and durable
- With pleasant, natural treble and full, clear bass
- With 4*3" high performance ferrite drive unit
- UV waterproof dip coating paint; IPx4 waterproof level; Indoor and outdoor installation
- UL94V-0 flame retardant grade material (optional)
- Optional smart installation accessories
- With leveling devices, quick release handle devices and anti-vibration rubber pad

Specifications

Model	DSP4300/DSP8300
Drive Unit	4x3" Ferrite
Cone Material	Pulp Coating
Impedance	8Ω
Max SPL (1W/1m)	123dB
Freq. Response	150Hz~14kHz, -6dB; 80Hz~20kHz, -10dB
Diffusion Angle (-6dB)	Vertical > 20°, Horizontal > 120°
Mounting Systems	Intelligent mounting brackets/Embedded mounting brackets
Color	Black/White
Rated Power	100W (400W, PEAK)
Netting Material	Aluminum
Dimension (L*W*H mm)	530*100*150mm
N.W.	3.80kg
G.W.	5.08kg